ELSEVIER

Neuroscience Letters 252 (1998) 218–221

Neuroscience Letters

Author Index to Volume 252

Abdul-Razzak, R., Bagust, J., Effects of δ-aminolaevulinic acid upon electrical activity of rat spinal cord in vivo, 175
Adams, D.J., see Hogg, R.C., 103
Alexander, K.M., see Lynch III, J.J., 207
Amann, R., see Schuligoi, R., 147
Amblard, B., see Pérennou, D.A., 75
Antonio Cassatella, M., see Baron, P., 151
Aoki, H., Yamada, N., Ozeki, Y., Yamane, H., Kato, N., Minimum light intensity required to suppress nocturnal melatonin concentration in human saliva, 91
Arbusow, V., see Schulz, P., 139
Arendt, J., see Barnes, R.G., 179
Arnoux, A., see Traina, G., 131
Arslan, P., see Sandri, M., 123
Asada, T., Takakura, S., Ogawa, T., Iwai, M., Kobayashi, M., Overexpression of glucose transporter protein 5 in sciatic nerve of streptozotocin-induced diabetic rats, 111
Avigan, M., see Wang, X., 191

Bacher, B., see Sutor, B., 57
Bagnoli, P., see Traina, G., 131
Bagust, J., see Abdul-Razzak, R., 175
Barker, W., see Town, T., 95
Barnes, R.G., Forbes, M.J., Arendt, J., Shift type and season affect adaptation of the 6-sulphatoxymelatonin rhythm in offshore oil rig workers, 179
Baron, P., Constantin, G., Meda, L., Scarpini, E., Scarlato, G., Trinchieri, G., Monastra, G., Rossi, F., Antonio Cassatella, M., Cultured human monocytes release proinflammatory cytokines in response to myelin basic protein, 151
Birbaumer, N., see Kuebler, A., 171
Bradford, H.F., see Zhou, J., 215
Brandt, T., see Schulz, P., 139
Breier, G., see Patt, S., 199
Buchan, A.M., see Small, D.L., 211

Cai, F., Tomlinson, D.R., Fernyhough, P., Effect of sciatic nerve crush on local and target tissue production of neurotrophin-3 transcripts in rats, 45
Cairns, N., see Labudova, O., 159
Cantini, M., see Sandri, M., 123
Cárdenas, A.M., see Sepúlveda, C.M., 127
Carraro, U., see Sandri, M., 123
Cervós-Navarro, J., see Patt, S., 199
Chang, S.-F., see Yeh, G.-C., 25
Cheng, F.-C., Ni, D.-R., Wu, M.-C., Kuo, J.-S., Chia, L.-G., Glial cell line-derived neurotrophic factor protects against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-induced neurotoxicity in C57BL/6 mice, 87
Chia, L.-G., see Cheng, F.-C., 87
Chiba, T., see Tanaka, K., 135
Coleman, P.D., see Yao, P.J., 33
Constantin, G., see Baron, P., 151
Crawford, F., see Town, T., 95

Danner, S., see Patt, S., 199
Dieterich, M., see Schulz, P., 139
Duara, R., see Town, T., 95

Eckert, A., see Petersen, M., 143
Epelbaum, J., see Traina, G., 131

Fallin, D., see Town, T., 95
Fernyhough, P., see Cai, F., 45
Forbes, M.J., see Barnes, R.G., 179
Forestier, N., Nougier, V., The effects of muscular fatigue on the coordination of a multijoint movement in human, 187
Fuwa, T., see Miwa, H., 167

Ghanayim, N., see Kuebler, A., 171
Giurisato, E., see Sandri, M., 123
Gold, M., see Town, T., 95

Hallam, D.M., Maroun, L.E., Anti-gamma interferon can prevent the premature death of trisomy 16 mouse cortical neurons in culture, 17
Hamada, S., see Maeshima, T., 72
Hamaguchi-Hamada, K., see Maeshima, T., 72
Harsch, A., Konno, K., Takayama, H., Kawai, N., Robinson, H., Effects of α-pompilidotoxin on synchronized firing in networks of rat cortical neurons, 49
Hashimoto, R., see Kashiwagi, Y., 5
Herkenham, M., see Hohmann, A.G., 13
Hermans-Borgmeyer, I., see Köster, F., 69
Himmelbach, M., see Jäncke, L., 37
Hogg, R.C., Lewis, R.J., Adams, D.J., Ciguatoxin (CTX-1) modulates single tetrodotoxin-sensitive sodium channels in rat parasympathetic neurones, 103
Hohmann, A.G., Herkenham, M., Regulation of cannabinoid and mu opioid receptors in rat lumbar spinal cord following neonatal capsaicin treatment, 13
Hömberg, V., see Kuebler, A., 171
Hottenrott, G., see Patt, S., 199
Hsieh, T.-H., see Yeh, G.-C., 25
Huang, R.-C., Lin, J.-Y., Voltage- and use-dependent inhibition by amphe-

PII S0304-3940(98)00572-2

ELSEVIER

Neuroscience Letters 252 (1998) 218–221

Neuroscience Letters

Author Index to Volume 252

Abdul-Razzak, R., Bagust, J., Effects of δ-aminolaevulinic acid upon electrical activity of rat spinal cord in vivo, 175
Adams, D.J., see Hogg, R.C., 103
Alexander, K.M., see Lynch III, J.J., 207
Amann, R., see Schuligoi, R., 147
Amblard, B., see Pérennou, D.A., 75
Antonio Cassatella, M., see Baron, P., 151
Aoki, H., Yamada, N., Ozeki, Y., Yamane, H., Kato, N., Minimum light intensity required to suppress nocturnal melatonin concentration in human saliva, 91
Arbusow, V., see Schulz, P., 139
Arendt, J., see Barnes, R.G., 179
Arnoux, A., see Traina, G., 131
Arslan, P., see Sandri, M., 123
Asada, T., Takakura, S., Ogawa, T., Iwai, M., Kobayashi, M., Overexpression of glucose transporter protein 5 in sciatic nerve of streptozotocin-induced diabetic rats, 111
Avigan, M., see Wang, X., 191

Bacher, B., see Sutor, B., 57
Bagnoli, P., see Traina, G., 131
Bagust, J., see Abdul-Razzak, R., 175
Barker, W., see Town, T., 95
Barnes, R.G., Forbes, M.J., Arendt, J., Shift type and season affect adaptation of the 6-sulphatoxymelatonin rhythm in offshore oil rig workers, 179
Baron, P., Constantin, G., Meda, L., Scarpini, E., Scarlato, G., Trinchieri, G., Monastra, G., Rossi, F., Antonio Cassatella, M., Cultured human monocytes release proinflammatory cytokines in response to myelin basic protein, 151
Birbaumer, N., see Kuebler, A., 171
Bradford, H.F., see Zhou, J., 215
Brandt, T., see Schulz, P., 139
Breier, G., see Patt, S., 199
Buchan, A.M., see Small, D.L., 211

Cai, F., Tomlinson, D.R., Fernyhough, P., Effect of sciatic nerve crush on local and target tissue production of neurotrophin-3 transcripts in rats, 45
Cairns, N., see Labudova, O., 159
Cantini, M., see Sandri, M., 123
Cárdenas, A.M., see Sepúlveda, C.M., 127
Carraro, U., see Sandri, M., 123
Cervós-Navarro, J., see Patt, S., 199
Chang, S.-F., see Yeh, G.-C., 25
Cheng, F.-C., Ni, D.-R., Wu, M.-C., Kuo, J.-S., Chia, L.-G., Glial cell line-derived neurotrophic factor protects against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-induced neurotoxicity in C57BL/6 mice, 87
Chia, L.-G., see Cheng, F.-C., 87
Chiba, T., see Tanaka, K., 135
Coleman, P.D., see Yao, P.J., 33
Constantin, G., see Baron, P., 151
Crawford, F., see Town, T., 95

Danner, S., see Patt, S., 199
Dieterich, M., see Schulz, P., 139
Duara, R., see Town, T., 95

Eckert, A., see Petersen, M., 143
Epelbaum, J., see Traina, G., 131

Fallin, D., see Town, T., 95
Fernyhough, P., see Cai, F., 45
Forbes, M.J., see Barnes, R.G., 179
Forestier, N., Nougier, V., The effects of muscular fatigue on the coordination of a multijoint movement in human, 187
Fuwa, T., see Miwa, H., 167

Ghanayim, N., see Kuebler, A., 171
Giurisato, E., see Sandri, M., 123
Gold, M., see Town, T., 95

Hallam, D.M., Maroun, L.E., Anti-gamma interferon can prevent the premature death of trisomy 16 mouse cortical neurons in culture, 17
Hamada, S., see Maeshima, T., 72
Hamaguchi-Hamada, K., see Maeshima, T., 72
Harsch, A., Konno, K., Takayama, H., Kawai, N., Robinson, H., Effects of α-pompilidotoxin on synchronized firing in networks of rat cortical neurons, 49
Hashimoto, R., see Kashiwagi, Y., 5
Herkenham, M., see Hohmann, A.G., 13
Hermans-Borgmeyer, I., see Köster, F., 69
Himmelbach, M., see Jäncke, L., 37
Hogg, R.C., Lewis, R.J., Adams, D.J., Ciguatoxin (CTX-1) modulates single tetrodotoxin-sensitive sodium channels in rat parasympathetic neurones, 103
Hohmann, A.G., Herkenham, M., Regulation of cannabinoid and mu opioid receptors in rat lumbar spinal cord following neonatal capsaicin treatment, 13
Hömberg, V., see Kuebler, A., 171
Hottenrott, G., see Patt, S., 199
Hsieh, T.-H., see Yeh, G.-C., 25
Huang, R.-C., Lin, J.-Y., Voltage- and use-dependent inhibition by amphe-

PII S0304-3940(98)00572-2

tamine of field potentials and Na^+ current in rat nucleus accumbens neurons, 65
Hunt, G.E., see Topple, A.N., 99
Hyon, B., see Kashiba, H., 107

Isom, G.E., see Kane, M.D., 1
Ito, R., see Maeshima, T., 72
Itoh, Y., Oka, M., Ukai, Y., Kimura, K., A novel Na^+/Ca^{2+} channel blocker NS-7 inhibits evoked but not spontaneous dopamine release from rat striatum, as measured by intracerebral microdialysis, 203
Iwai, M., see Asada, T., 111

Jäncke, L., Specht, K., Mirzazade, S., Loose, R., Himmelbach, M., Lutz, K., Joni Shah, N., A parametric analysis of the 'rate effect' in the sensorimotor cortex: a functional magnetic resonance imaging analysis in human subjects, 37
Jarvis, M.F., see Lynch III, J.J., 207
Jauniaux, E.R.M., see Zhou, J., 215
Jingu, H., see Sugama, S., 29
Joni Shah, N., see Jäncke, L., 37

Kane, M.D., Vanden Heuvel, J.P., Isom, G.E., Schwarz, R.D., Differential expression of group I metabotropic glutamate receptors (mGluRs) in the rat pheochromocytoma cell line PC12: role of nerve growth factor and ras, 1
Kashiba, H., Hyon, B., Senba, E., Glial cell line-derived neurotrophic factor and nerve growth factor receptor mRNAs are expressed in distinct subgroups of dorsal root ganglion neurons and are differentially regulated by peripheral axotomy in the rat, 107
Kashiwagi, Y., Nakamura, Y., Miyamae, Y., Hashimoto, R., Takeda, M., Pulse exposure of cultured rat neurons to aluminum-maltol affected the axonal transport system, 5
Kato, N., see Aoki, H., 91
Kawai, N., see Harsch, A., 49
Kimura, K., see Itoh, Y., 203
Kitamura, Y., see Matsuoka, Y., 119
Kitzmüller, E., see Labudova, O., 159
Klusch, A., see Petersen, M., 143
Kobayashi, M., see Asada, T., 111
Konno, K., see Harsch, A., 49
Köster, F., Schinke, B., Niemann, S., Hermans-Borgmeyer, I., Identification of *shyc* a novel gene expressed in the murine developing and adult nervous system, 69
Kotchoubey, B., see Kuebler, A., 171
Kowaluk, E.A., see Lynch III, J.J., 207
Krapfenbauer, K., see Labudova, O., 159
Kratzer, U., Schmidt, W.J. The anti-craving drug acamprosate inhibits the conditioned place aversion induced by naloxone-precipitated morphine withdrawal in rats, 53
Kuebler, A., Kotchoubey, B., Salzmann, H.-P., Ghanayim, N., Perelmouter, J., Hömberg, V., Birbaumer, N., Self-regulation of slow cortical potentials in completely paralyzed human patients, 171
Kulkarni, J.S., see Wakade, A.R., 163
Kuo, J.-S., see Cheng, F.-C., 87

Labudova, O., Krapfenbauer, K., Moenkemann, H., Rink, H., Kitzmüller, E., Cairns, N., Lubec, G., Decreased transcription factor junD in brains of patients with Down syndrome, 159
Lanneau, C., see Traina, G., 131
Lara, H., see Sepúlveda, C.M., 127
Leblond, C., see Pérennou, D.A., 75
Lewis, R.J., see Hogg, R.C., 103
Lin, C.-H., see Yang, Y.-L., 9
Lin, J.-Y., see Huang, R.-C., 65
Lin, M.-T., see Yang, Y.-L., 9
Lina Massimino, M., see Sandri, M., 123
Loose, R., see Jäncke, L., 37
Lu, K.-T., see Yang, Y.-L., 9
Lubec, G., see Labudova, O., 159
Lutz, K., see Jäncke, L., 37
Lynch III, J.J., Alexander, K.M., Jarvis, M.F., Kowaluk, E.A., Inhibition of adenosine kinase during oxygen-glucose deprivation in rat cortical neuronal cultures, 207

Maeshima, T., Shutoh, F., Hamada, S., Senzaki, K., Hamaguchi-Hamada, K., Ito, R., Okado, N.Serotonin$_{2A}$ receptor-like immunoreactivity in rat cerebellar Purkinje cells, 72
Mantell, K., see Sutor, B., 57
Margineanu, D.G., Niespodziany, I., Wülfert, E., Hippocampal slices from long-term streptozotocin-injected rats are prone to epileptiform responses, 183
Maroun, L.E., see Hallam, D.M., 17
Matsuoka, Y., Kitamura, Y., Taniguchi, T., Induction of plasminogen in rat hippocampal pyramidal neurons by kainic acid, 119
McGregor, I.S., see Topple, A.N., 99
Mealing, G.A.R., see Small, D.L., 211
Meda, L., see Baron, P., 151
Mirzazade, S., see Jäncke, L., 37
Miura, M., see Sugama, S., 29
Miwa, H., Nishi, K., Fuwa, T., Mizuno, Y., Postural effects of unilateral blockade of glutamatergic neurotransmission in the subthalamic nucleus on haloperidol-induced akinesia in rats, 167
Miyamae, Y., see Kashiwagi, Y., 5
Mizuno, Y., see Miwa, H., 167
Moenkemann, H., see Labudova, O., 159
Monastra, G., see Baron, P., 151
Morley, P., see Small, D.L., 211
Mullan, M., see Town, T., 95
Murray, C.L., see Small, D.L., 211

Nag, S., Tang, F., Cholinergic lesions of the rat brain by ibotenic acid and 192 IgG-saporin: effects on somatostatin, substance P and neuropeptide Y levels in the cerebral cortex and the hippocampus, 83
Nagamine, T., see Nishitani, N., 79
Nakamura, Y., see Kashiwagi, Y., 5
Ni, D.-R., see Cheng, F.-C., 87
Niemann, S., see Köster, F., 69
Niespodziany, I., see Margineanu, D.G., 183
Nishi, K., see Miwa, H., 167
Nishitani, N., Nagamine, T., Shibasaki, H., Modality-specific subregions in human inferior parietal lobule: a magnetoencephalographic study during cognitive tasks, 79
Norgren Jr., R.B., see Wang, X., 191
Nougier, V., see Forestier, N., 187

Ogawa, T., see Asada, T., 111
Ohl, F.W., see Wetzel, W., 115

Oka, A., Takashima, S., Expression of the ataxia-telangiectasia gene (ATM) product in human cerebellar neurons during development, 195
Oka, M., see Itoh, Y., 203
Okada, J., see Sugama, S., 29
Okado, N.see Maeshima, T., 72
Ozeki, Y., see Aoki, H., 91

Paris, D., see Town, T., 95
Patt, S., Danner, S., Théallier-Jankó, A., Breier, G., Hottenrott, G., Plate, K.H., Cervós-Navarro, J., Upregulation of vascular endothelial growth factor in severe chronic brain hypoxia of the rat, 199
Pélissier, J., see Pérennou, D.A., 75
Perelmouter, J., see Kuebler, A., 171
Pérennou, D.A., Amblard, B., Leblond, C., Pélissier, J., Biased postural vertical in humans with hemispheric cerebral lesions, 75
Petersen, M., Klusch, A., Eckert, A., The proportion of isolated rat dorsal root ganglion neurones responding to bradykinin increases with time in culture, 143
Plate, K.H., see Patt, S., 199
Pliego-Rivero, B., see Zhou, J., 215
Porokhov, B., see Traina, G., 131
Poulter, M.O., see Small, D.L., 211

Rauch, E., see Schulz, P., 139
Reyes-Harde, M., Stanton, P.K., Postsynaptic phospholipase C activity is required for the induction of homosynaptic long-term depression in rat hippocampus, 155
Rink, H., see Labudova, O., 159
Robbins, J., see Rossiter, S.J., 41
Robinson, H., see Harsch, A., 49
Rossi, F., see Baron, P., 151
Rossiter, S.J., Robbins, J., The action of local anaesthetics on the compound action potential is altered by the nature of the permeant ion in frog nerve, 41

Salzmann, H.-P., see Kuebler, A., 171
Sandri, C., see Sandri, M., 123
Sandri, M., Lina Massimino, M., Cantini, M., Giurisato, E., Sandri, C., Arslan, P., Carraro, U., Dystrophin deficient myotubes undergo apoptosis in mouse primary muscle cell culture after DNA damage, 123
Scarlato, G., see Baron, P., 151
Scarpini, E., see Baron, P., 151
Scheich, H., see Wetzel, W., 115
Schinke, B., see Köster, F., 69
Schmidt, W.J. see Kratzer, U., 53
Schuligoi, R., Amann, R., Differential effects of treatment with nerve growth factor on thermal nociception and on calcitonin gene-related peptide content of primary afferent neurons in the rat, 147
Schulz, P., Arbusow, V., Strupp, M., Dieterich, M., Rauch, E., Brandt, T., Highly variable distribution of HSV-1-specific DNA in human geniculate, vestibular and spiral ganglia, 139
Schwarz, R.D., see Kane, M.D., 1
Senba, E., see Kashiba, H., 107
Senzaki, K., see Maeshima, T., 72
Sepúlveda, C.M., Troncoso, C.C., Lara, H., Cárdenas, A.M., Intracellular calcium and arachidonic acid increase SNAP-25 expression in cultured rat hippocampal explants, but not in cultured rat cerebellar explants, 127
Shibasaki, H., see Nishitani, N., 79
Shimogori, H., Yamashita, H., Takahashi, M., The role of *N*-methyl-D-asparate receptor in the guinea pig inner ear after unilateral labyrinthectomy, 61
Shutoh, F., see Maeshima, T., 72
Small, D.L., Murray, C.L., Mealing, G.A.R., Poulter, M.O., Buchan, A.M., Morley, P., Brain derived neurotrophic factor induction of *N*-methyl-D-aspartate receptor subunit NR2A expression in cultured rat cortical neurons, 211
Specht, K., see Jäncke, L., 37
Stanton, P.K., see Reyes-Harde, M., 155
Stern, G.M., see Zhou, J., 215
Strupp, M., see Schulz, P., 139
Sugama, S., Okada, J., Jingu, H., Miura, M., H^+-Sensitivity of cultured neurons from the dorsomedial and ventrolateral medulla of neonate rats, 29
Sutor, B., Mantell, K., Bacher, B., Evidence for the activity of five adenosine-3′ 5′-monophosphate-degrading phosphodiesterase isozymes in the adult rat neocortex, 57

Takahashi, M., see Shimogori, H., 61
Takakura, S., see Asada, T., 111
Takashima, S., see Oka, A., 195
Takayama, H., see Harsch, A., 49
Takeda, M., see Kashiwagi, Y., 5
Tanaka, K., Chiba, T., The vagal origin of preganglionic fibers containing nitric oxide synthase in the guinea-pig heart, 135
Tang, F., see Nag, S., 83
Taniguchi, T., see Matsuoka, Y., 119
Théallier-Jankó, Á., see Patt, S., 199
Tomlinson, D.R., see Cai, F., 45
Topple, A.N., Hunt, G.E., McGregor, I.S., Possible neural substrates of beer-craving in rats, 99
Town, T., Paris, D., Fallin, D., Duara, R., Barker, W., Gold, M., Crawford, F., Mullan, M., The 491A/T apolipoprotein E promoter polymorphism association with Alzheimer's disease: independent risk and linkage disequilibrium with the known APOE polymorphism, 95
Traina, G., Lanneau, C., Arnoux, A., Porokhov, B., Bagnoli, P., Epelbaum, J., Expression and coupling of somatostatin receptors in rat adrenal (PC12) and pituitary (GC) cell lines, 131
Trinchieri, G., see Baron, P., 151
Troncoso, C.C., see Sepúlveda, C.M., 127
Tsay, H.-J., see Yang, Y.-L., 9

Ukai, Y., see Itoh, Y., 203

Vanden Heuvel, J.P., see Kane, M.D., 1
Vanecek, J., Watanabe, K., Melatonin inhibits the increase of cyclic AMP in rat suprachiasmatic neurons induced by vasoactive intestinal peptide, 21

Wagner, T., see Wetzel, W., 115
Wakade, A.R., Wakade, T.D., Kulkarni, J.S., Adenosine protects chick embryonic sympathetic neurons from apoptotic death by 2′-deoxyadenosine - importance of ATP in apoptosis, 163
Wakade, T.D., see Wakade, A.R., 163
Wang, X., Avigan, M., Norgren Jr., R.B., FUSE-binding protein is developmentally regulated and is highly expressed in mouse and chicken embryonic brain, 191
Watanabe, K., see Vanecek, J., 21

Wetzel, W., Ohl, F.W., Wagner, T., Scheich, H., Right auditory cortex lesion in Mongolian gerbils impairs discrimination of rising and falling frequency-modulated tones, 115
Wu, M.-C., see Cheng, F.-C., 87
Wülfert, E., see Margineanu, D.G., 183

Yamada, N., see Aoki, H., 91
Yamane, H., see Aoki, H., 91
Yamashita, H., see Shimogori, H., 61
Yang, Y.-L., Lu, K.-T., Tsay, H.-J., Lin, C.-H., Lin, M.-T., Heat shock protein expression protects against death following exposure to heatstroke in rats, 9
Yao, P.J., Coleman, P.D., Reduced *O*-glycosylated clathrin assembly protein AP180: implication for synaptic vesicle recycling dysfunction in Alzheimer's disease, 33
Yeh, G.-C., Hsieh, T.-H., Chang, S.-F., The negative influence of endogenous opioid receptor activity on the differentiation of the rat pheochromocytoma PC12 cells induced by nerve growth factor, 25

Zhou, J., Pliego-Rivero, B., Bradford, H.F., Stern, G.M., Jauniaux, E.R.M., Induction of tyrosine hydroxylase gene expression in human foetal cerebral cortex, 215